

43" 1500 NITS OUTDOOR DIGITAL A-BOARD

IP65 Rated Fold-able Design, with casters, can be operated easily by one person, saving time and effort also easily stored away.



3 Years
Warranty



Product Code: 433BAB-HDNT-HT-V8 (Non Touch)

Product Code: 433BAB-HDCT-HT-V8 (Touch)



Omni-directional movement and rotation

Fold-able design, with rubber feet & casters, which can be operated easily by one just person, saving time and effort.



Colour choices:
Black & White

Fixed lock lever

The advanced locking mechanism to ensure that the kiosk is placed firmly, without any movement on any flat surface.



Key Features



IP65 weatherproof



14 Hour Running Time



Android Media Player



Network Upgrade



1500 Nits Brightness



Tempered Glass Front



Locking Bar



Ultra-Violet Ray Resistant



Free Scheduling Software



Plug and Play

Other Features

Product Code: 433BAB-HDNT-HT-V8 (Non Touch)

Product Code: 433BAB-HDCT-HT-V8 (Touch)




IP65 Waterproof and Dust-proof design

The structure of the shell is designed with IP65 protection level, which means that it can block rainwater and all debris, dust and other particles in the air, and can be protected from any wet weather.




Choice of Multi-touch and Non Touch Designs

Using top grade projected capacitive touch screen, which is a 10 Point PCAP Touch.



Conventional Signage Display



Outdoor Digital Android Battery A-Boards

1500 High Brightness IPS Display

The high-brightness LCD panel used in this display is three times brighter than a home TV, making it an ideal choice for outdoor spaces.



3 Years Warranty

Other Features

Strong Robust Design

The all-aluminum frame is a High-strength chassis, with toughened front tempered Ultra-Violet Ray (UV) Resistant glass.



Plug & Play

Just copy the images and videos to the USB flash drive, insert it into the USB port, and wait for the content to be copied before you can use it. Images and videos can be played in a continuous loop.

Remote Cloud publishing

Create ads Online and publish remotely Media and control content at any time. Compatible with 99% of Android CMS Platforms.

Formats:

Video: (MP4, MPG, AVI, RM, RMVB, TS)

Audio: (MP3, WMA)

Image: (JPG, GIF, BMP, PNG), Subtitle scrolling



Long running time

The integrated polymer lithium battery has completely changed the way you use digital signage. This commercial-grade thin battery solution provides you with more than 14 hours of working time.



17.58 Remaining

Battery reminder

The device can clearly display the remaining charge, convenient arrangement of battery use and charging time.

Item	Specification	43"	
Panel	Resolution ratio	1920 x 1080 (FHD)	
	Active area (mm)	9.40.896 (H) x 5.29.254 (V)	
	Resolution ratio	16:9	
	Brightness (cd/m2)	1500	
	Colours	16:7	
	Viewing angle	178°	
	Contrast ratio	4000:1	
	Touch screen	Multi-touch pcap foil touch	
Android	Format	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA),Image(JPG, GIF, BMP, PNG)	
	Resolution	1080x1920	
	CPU	Rockchip®, RK3288 (1.8GHz, ARM Quad- core A17)	
	GPU	Quad- core Mail-T764	
	RAM	2GB DDR3	
	ROM	8GB	
	USB	USB2.0 HOST (x2)	
	LAN	10/100M Ethernet	
	Wi-Fi	802.11b/g/n	
	Operating system	Android7.1	
	Speaker	8Ω 5W x2	
	Battery	Battery technical	Integrated polymer lithium battery
Charging time		7 hours	
Battery life		14 hours	
Battery capacity		43200mAh	
Voltage		25.2V	
	Power	110W	
	Efficiency	1088.54Wh	
Dimension	Dimension	1234x591x195mm	
	Packing dimension	1335x700x300mm	
	Net weight (kg)	38.16kg	
	Gross Weight (kg)	< 46kg	
Working environment	Working temperature	-20 °C to 70 °C	High temperature resistance up to 105°C
	Storage temperature	-30 °C to 80 °C	
	Working temperature	10% to 80%	
	Storage temperature	5% to 95%	
Accessories	Including	Remote control, instruction manual, charger and charging cable	

Specification

Product Code: 433BAB-HDNT-HT-V8 (Non Touch)

Product Code: 433BAB-HDCT-HT-V8 (Touch)

